

C

## INDEX MAPS.

T. 36 N.R. 9 W. 2<sup>nd</sup> Mer.

	64	64	63	63	63	63						
66	6	80	5	78	4	75	3	72	2	69	1	62
	82		80		77		75		72		69	
65	7	80	8	77	9	74	10	72	11	68	12	62
	82		80		77		74		71		68	
65	18	79	17	77	16	74	15	71	14	68	13	61
	81		79		76		74		71		67	
65	19	79	20	76	21	74	22	70	23	67	24	61
	81		78		76		73		70		67	
65	30	78	29	76	28	73	27	70	26	67	25	61
	81		78		75		73		70		66	
64	31	78	32	75	33	72	34	69	35	66	36	62
	60		60		60		59		59		59	

Meanders-82

T. 37 N.R. 9 W. 2<sup>nd</sup> Mer.

93	6	103	5	Lake Michigan.								
	105		103									
93	7	103	8	9	10	11	12	Meanders-105				
	104		103	101								
93	18	103	17	100	16	15	14	13				
	104		102	100	98	97						
93	19	102	20	100	21	97	22	96	23	24		
	104		102	99		97	97	96				
92	30	102	29	99	28	97	27	95	26	94	25	
	104		101	99		96		95		94	91	
92	31	101	32	98	33	96	34	95	35	94	36	90
	90		90		89		89		89		89	

The figures on the lines refer to the page.

Township 36 North Range 9 West 2<sup>nd</sup> Mer. Ind<sup>ed</sup> 59

South Boundary

Var. 6° 10' E,

West on South Side Sec 36

Began in marsh

- 18.00 Leave marsh  
 40.00 Set Dr. Sec. post from which  
     @ G. oak 12 in. dia. bears S. 34 E. 8 Mo. dist.  
     + @ G. oak 20 " " " N. 47 1/2 W. 114 " "  
 43.00 Enter marsh  
 49.00 Leave Do  
 80.00 Set post cor. to Sec. 35 & 36 from which  
     @ H. oak 10 in. dia. bears N. 27 W. 127 Mo. dist.  
     + @ G. oak 20 " " " N. 10 1/2 E. 154 " "  
 Land level + poor timber oak,

West on South Side Sec. 35

- 22.30 To @ G. oak 20 in. dia,  
 40.00 Set Dr. Sec. post from which  
     @ H. oak 9 in. dia. bears N. 64 W. 41 Mo. dist.  
     + @ G. oak 10 " " " N. 68 E. 50 " "  
 48.07 To " Do 12 " "  
 51.00 Enter marsh  
 72.00 Leave Do  
 80.00 Set post cor. to Sec. 34 & 35 from which  
     @ H. oak 12 in. dia. bears N. 43 W. 13 Mo. dist.  
     + @ G. oak 14 " " " N. 81 E. 35 " "  
 Land Sec. Same,

West on South Side Sec. 34

- 40.00 Set Dr. Sec. post from which  
     @ G. oak 14 in. dia. bears S. 89 E. 42 Mo. dist.  
     + @ " Do 16 " " " N. 86 W. 392 " "  
 80.00 Set post cor. to Sec. 33 & 34 from which  
     @ G. oak 12 in. dia. bears N. 41 E. 300 Mo. dist.  
     + @ " Do 20 " " " N. 67 1/2 W. 184 " "  
 Land Sec. Same,

Y. 36 N. - R. 9 W. 2<sup>nd</sup> Mer. Indiana

West on South Side Sec. 33

25.00 Enter Marsh

40.00 Set Dr. Sec. post in Water from 15.3 ft deep from which  
@ Y. Oak 24 in. dia. bears S. 89 1/2 E. 15.37 lbs. dia.<sup>t</sup>  
no other.

80.00 Set post con. to Sec. 32 & 33, no bearings &  
Water too deep to raise a mound  
Land flat & poor Land few oak in places

West on South Side Sec. 32.

40.00 Set Dr. Sec. post Water too deep for a mound

80.00 Set post con. to Sec. 31 & 32 Water deep as before  
Land all marsh of the poorest kind

West on South Side Sec. 31

40.00 Set Dr. Sec. post Water too deep for a mound

55.00 To @ Stream 30 lbs wide on N. W.

79.80 Anterior to N. Boundary 30 lbs N. of Temporary  
post, where set post con. to Sec. 35 & 36 N. of  
Ranges 9 & 10 West, no mound no bearings  
on account of Water, land all marsh

Surveyed July 25<sup>th</sup> 1834 by

Sylvester Sibley Dep't. Surveyor,

East Boundary

(Var, 6° 25' E)

North on East Side Sec. 36

Began in Marsh

10.00 Leave Marsh

40.00 Set Dr. Sec. post from which

@ Y. Oak 12 in. dia. bears S. 64 1/2 W. 20 lbs. dia.<sup>t</sup>

& @ " Do 20 " " " N. 31 1/2 W. 44 " "

65.00 Enter Marsh

80.00 Set post con. to Sec. 25 & 36 from which

@ Y. Oak 20 in. dia. bears S. 1/2 W. 15.70 lbs. dia.<sup>t</sup>

no other, land level & poor, timber oak,

36. N. - R. 9 W. 2nd Mer. Ind. <sup>61</sup>

North on East Side Sec. 25

34.50 Sawn Marsh

40.00 Set Dr. Sec. post from which

@ Y. oak 24 in. dia. bears S. 42° W. 91 lbs. dist.

& @ " Do 20 " " " N. 59° W. 138 " "

50.00 To a Spail cr. E. & W.

80.00 Set post cor. to Sec. 24 & 25 from which

@ Y. oak 18 in. dia. bears S. 32° W. 121 lbs. dist.

& @ " Do 18 " " " N. 38° W. 78 " "

Sand & S. sand,

---

North on East Side Sec. 24

4.50 Enter Marsh

18.00 Set post on S. side of Lake, Calamie running  
through it on N. W. no mound nor bearings  
on account of water

40.00 Dr. Sec. cor. in Lake

50.80 Set post on N. Side of Lake where a  
mound

50.00 Set post cor. to Sec. 13 & 24 from which

@ Y. oak 12 in. dia. bears N. 77° E. 89 lbs. dist.

no other, land flat & poor mostly marsh,  
this stream was represented wrong by Mr. Mc.  
Donald who runs the State line, it puts into  
Lake Michigan about 1 1/2 miles from the  
State line in Illinois,

---

North on East Side Sec. 13

25.00 Sawn wet prairie

40.00 Set Dr. Sec. post from which

@ Y. oak 12 in. dia. bears S. 57° W. 40 lbs. dist.

& @ " Do 9 " " " N. 42 1/2° W. 56 " "

80.00 Set post cor. to Sec. 12 & 13 from which

@ Y. oak 10 in. dia. bears N. 68° W. 26 lbs. dist.

& @ " Do 12 " " " S. 48° W. 40 " "

Land level & 3rd rate, Timber oak,



T. 36 N. - R. 9 W. 2nd Mer. Indian Co

North on East Side Sec 12

40.00 Set Dr. Sec. post from which  
@ Y. Oak 6 in. dia bears S. 55 W. 58 lks. dis.<sup>t</sup>  
+ @ " Do 6 " " " S. 8 E. 52 " "

46.00 Enter Marsh

68.00 Leave Do

80.00 Set post on to Sec. 1 & 12 from which  
@ Y. Oak 6 in. dia bears S. 7 E. 45 lks. dis.<sup>t</sup>  
+ @ " Do 12 " " " S. 62 W. 209 " "  
Land + 6 similar. The land north of the  
Calumie is flung up into ridges from 50 lks  
to 5 chains wide + between the ridges there are  
runs of wet prairie running together with  
the ridges for miles almost perfectly  
straight

North on East Side Sec. 1

40.00 Set Dr. Sec. post from which  
@ Y. Oak 18 in. dia bears S. 12 W. 142 lks. dis.<sup>t</sup>  
+ @ " Do 16 " " " S. 18 E. 75 " "

70.10 To a Y. Oak 10 " " on 'Bank Grand  
Calumie River, no current perceptible, but  
is said to run at this place S. E.

80.00 Set Temporary post on N. Side of River  
cor. To T. 36 + 37 N. of R. 8 + 9 That  
Land + 6. much as before, very marshy  
about the stream, the stream or whatever  
river it may be called is at present con-  
-nected with the Lake Michigan by a  
mouth which enters into it about 6 or 8 miles  
N. E. from this line, it also is connected with  
the little Calumie in the State of Illinois  
where it is said to <sup>have</sup> current at its Junction  
Surveyed in 1834 by

Sylvester Sibley

Dep<sup>t</sup> Surveyor,

## North Boundary

West on South Side Sec. 36 T. 37 N. R. 9 T.  
 24.50 Set post on left bank of Grand Calumet's corner  
 South, East from which  
 @ G. Oak 28 in. dia. bears N. 40 E. 205 lks. dist.  
 & @ " Do 10 " " " N. 51 E. 208 " "  
 40.00 Dr. Sec. on in River  
 50.00 Cor. in River to Sec. 35 & 36  
 Land on post 1/2 brd & 222 rate Timber oak

West on South Side Sec. 35 T. 37 N. R. 9 T.  
 32.50 Set post on Right Bank of G. Calumet River  
 @ G. Oak 18 in. dia. bears S. 59 E. 29 lks. dist.  
 & @ " Do 20 " " " S. 76 N. 44 " "  
 40.00 Set Dr. Sec. post from which  
 @ G. Oak 9 in. dia. bears N. 51 E. 48 lks. dist.  
 & @ " Do 9 " " " N. 1/2 N. 57 " "  
 57.33 To @ " Do 12 " " "  
 50.00 Set post on to Sec. 34 & 35 from which  
 @ W. Oak 10 in. dia. bears N. 51 E. 60 lks. dist.  
 & @ G. Oak 9 " " " N. 66 N. 33 " "  
 Land rolling & sandy soil poor. Timber oak

West on South Side Sec. 34 T. 37 N. R. 9 T.  
 40.00 Set Dr. Sec. post from which  
 @ G. Oak 12 in. dia. bears N. 18 E. 115 lks. dist.  
 no other  
 50.00 Set post on to Sec. 33 & 34 from which  
 @ G. Oak 10 in. dia. bears N. 59 E. 36 lks. dist.  
 & @ " Do 10 " " " N. 44 1/2 N. 44 " "  
 Land & C. sand,

West on South Side Sec. 33 T. 37 N. R. 9 T.  
 19.80 To @ G. Oak 18 in. dia.  
 40.00 Set Dr. Sec. post from which

T. 36 N. - R. 9 W. 2<sup>nd</sup> & 3<sup>rd</sup> Sec. Indiana

@ W. Oak 9 in. dia, bears N. 87 W. 49 lbs. dist.  
 & @ Y. Oak 10 " " " S. 62 W. 68 " "  
 59.71 To @ " Do 9 " "  
 80.00 Set post cor. to Sec. 32 & 33 from which  
 @ W. Oak 9 in. dia, bears N. 86 E. 56 lbs. dist.  
 & @ " Do 9 " " " N. 33 W. 48 " "  
 Land & Co. Same,

West on South Side Sec. 32 T. 37 N. R. 9 W.  
 22.38 To @ W. Oak 6 in. dia,  
 40.00 Set Pr. Sec. post from which  
 @ Y. Oak 9 in. dia, bears N. 50 E. 70 lbs. dist.  
 & @ " Do 6 " " " N. 26 E. 39 " "  
 64.00 To @ Brook 15 ft. wide cor. N. W.  
 80.00 Set post cor. to Sec. 31 & 32 from which  
 @ Y. Oak 10 in. dia, bears N. 44 W. 61 lbs. dist.  
 & @ " Do 15 " " " S. 36 W. 59 " "  
 Land much Same,

West on South Side Sec. 31 T. 37 N. R. 9 W.  
 40.00 Set Pr. Sec. post from which  
 @ Y. Oak 10 in. dia, bears N. 51 E. 32 lbs. dist.  
 & @ " Do 9 " " " N. 28 W. 123 " "  
 76.74 Intersect W. Boundary 135 lbs. N. of Temporary  
 post where set post cor. T. 36 & 37 N. & R. 9 & 10 from which  
 @ Y. Oak 10 in. dia, bears S. 61 E. 248 lbs. dist.  
 & @ " Do 6 " " " N. 85 W. 165 " "  
 Land & Co. the Same as last mile,  
 .. Surveyed in 1834 by  
 Sylvester Shelby, Dep't. Sur.,

## West Boundary

(Cor. 6° 25' E.)

North on East Side Sec. 36 T. 36 N. R. 10 W.  
 40.00 Pr. Sec. Cor. water too deep for mound or bearings  
 80.00 cor to Sec. 35 & 36, " " do " do do

This mile all marsh, was obliged to make an offset from the Town cor. East, in order to obtain the distance, so much water that it was impossible to measure in the line

---

North on East Side Sec. 25 T. 36 N. R. 10 W.  
 40.00 Dr. Sec. cor. water too deep for mound or bearings  
 80.00 Cor to Sec 24 & 25 water too deep for mound all marsh

---

North on East Side Sec. 24 T. 36 N. R. 10 W.  
 40.00 Set Dr. Sec. post on North Side of marsh and enter Oak Ridge from which  
     @ Y. Oak 9 in. dia, bears N. 20 W. 86 lbs. dist.  
     & @ " Do 18 " " " N. 43 1/2 W. 84 " "  
 42.00 To @ Trail cor E. & W.  
 46.16 " @ Y. Oak 18 in. dia,  
 65.00 Enter wet prairie  
 80.00 Set post cor. to Sec 13 & 24 where rail a mound  
     Land level S. 1/2 Marsh N. 1/2 2nd rate stub oak

---

North on East Side Sec. 13 T. 36 N. R. 10 W.  
 22,70 To @ Br. Oak 10 in. dia, cor. on left bank of  
     Calamie River course N. W.  
 27,13 Set post on R. Bank of Calamie R. from which  
     @ Br. Oak 18 in. dia, bears N. 49 W. 176 lbs. dist.  
     & @ " Do 10 " " " N. 82 W. 165 " "  
 40.00 Set Dr. Sec. post from which  
     @ Br. Oak 10 in. dia, bears S. 8 W. 11.50 lbs. dist.  
     no other,  
 80.00 Set post cor. to Sec 12 & 13 Too much water for mound  
     Land same

---

North on East Side Sec. 12 T. 36 N. R. 10 W.  
 40.00 Set Dr. Sec. post from which  
     @ Y. Oak 10 in. dia, bears N. 30 W. 219 lbs. dist.

T. 36 N. — R. 9 W. 2nd Mer, Indiana

at N. Oak 9 in. dia, bears N. 14 W. 234 lbs. dist.  
 43.00 Leave parish  
 80.00 Set post cor. to Sec. 1 & 12, from which  
 at N. Oak 18 in. dia, bears S. 81 W. 61 lbs. dist.  
 & at " Do 9 " " " N. 41 W. 47 " "  
 Land level and poor, timber Oak,

North on East Side Sec. 1 T. 36 N. R. 10 W.

40.00 Set Dr. Sec. post from which  
 at N. Oak 10 in. dia, bears N. 6 W. 328 lbs. dist.  
 & at " Do 14 " " " S. 4 W. 200 " "  
 80.00 Set temporary post cor. to T. 36 & 37 N. of R. 9 & 10 W.  
 Land to the same as last mile  
 Surveyed in 1834 by  
 Sylvester Sibley, Dep't. Sur.

### Subdivisions

(Var. 6° 25' E.)  
 North Between Sections 35 & 36  
 14.13 To at N. Oak 12 in. dia.  
 40.00 Set Dr. Sec. post from which  
 at N. Oak 8 in. dia. bears S. 17 E. 45 lbs. dist.  
 & at N. Oak 8 " " " N. 79. 32 " "  
 80.00 Set post cor. to Sec. 25, 26, 35 & 36 in marsh  
 Water, low wet N. & N. Oak burrens interspersed  
 with marshes Water from 4 to 12 in. deep, thin &  
 rate soil,

East on Random between Sec. 25 & 36

79.33 Antise et E. Boundary 49 lbs N. of post, this line  
 in marsh & water from 4 to 20 in. deep

West Correct line between Sec. 25 & 36

39.62 Set Dr. Sec. post in marsh water 10 in. deep  
 79.33 Section corner,



North Between Sections 25 & 26

- 40.00 Set gr. Sec. post in marsh water 12 in, deep from wh.  
@ Y. Oak 10 in, dia, bears N. 1 W. 490 lbs. dist.  
50.88 To a " Do 14 " " where Enter upon Oak Ridge  
75.00 Leave Oak Ridge & Enter low grassy land  
80.00 Set post en. to Sec. 23, 24, 25 & 26 from which  
@ Y. Oak 14 in, dia, bears N. 18 1/2 W. 17 lbs. dist.  
& @ " Do 10 " " " S. 83 W. 15 " "  
This line mark & oak Ridge & poor Soil

East on Random between Sec. 24 & 25

- 79.48 Enter at E. Boundary 5 lbs. South of post, low wet  
grassy barrens some clusters of Willows

West Correct line between Sec. 24 & 25

- 39.74 Set Dr. Sec. post from which  
@ Y. Oak 12 in, dia, bears S. 27 E. 109 lbs. dist.  
& @ W. Oak 10 " " " N. 65 W. 97 " "  
79.48 Section Corner,

North Between Sections 23 & 24

- 40.00 Set Dr. Sec. post from which  
@ Y. Oak 14 in, dia, bears N. 27 W. 127 lbs. dist.  
& @ " Do 12 " " " N. 73 E. 198 " "  
43.00 Enter Calumino Marsh  
66.00 To Margin of Calumino River left Bank  
where Set meander post, raise a mound  
68.50 To Right Bank of River where Set meander  
post & raise a mound, the River is 2 chains  
wide, slow current Deep, course West,  
75.00 Leave marsh & Enter barrens  
80.00 Set post en. to Sec. 13, 14, 23 & 24 from which  
@ W. Oak 24 in, dia, bears S. 18 E. 22 lbs. dist.  
& @ " Do 18 " " " N. 26 W. 14 " "

East on Random between Sec. 13 & 24

T. 36 N., R. 9 W. 2<sup>nd</sup> Mer, Indiana,

79.62 Intersect E. Boundary 5<sup>th</sup> South of post, at 15  
Chains from post on this line Entered Callumine  
Marsh, under water from 4 to 8 in. deep,

West Correct line between Sec, 13 & 24

39.80 Set Dr. Sec. post from which

@ Y. oak 8 in. dia. bears S. 67<sup>th</sup> N. 178<sup>th</sup> Mo. dist,  
no other near,

79.62 Section corner,

North Between Sections 13 & 14

40.00 Set Dr. Sec. post in marsh from which

@ Y. oak 12 in. dia. bears S. 23<sup>th</sup> N. 107<sup>th</sup> Mo. dist,

& @ " Do 24 " " " S. 40 E. 108 " "

80.00 Set post on, to Sec, 11, 12, 13 & 14 from which

@ Y. oak 12 in. dia. bears, S. 64 E. 100 Mo. dist,

& @ Y. oak 8 " " " N. 61 W. 45 " "

poor level Not barrens interspersed with long  
Narrow Lakes or marshes, at Every 5 or 10 ch,  
Small dwarfish Timber (Y. & W. oak,

East on Random between Sec, 12 & 13

79.62 Intersect E. Boundary 4<sup>th</sup> North of post, past  
Barrens & Marshes, similar to North line

West Correct line between Sec, 12 & 13

39.81 Set Dr. Sec. post from which

@ Y. oak 8 in. dia. bears S. 2<sup>1</sup>/<sub>2</sub> N. 19 Mo. dist,

& @ Y. oak 6 " " " N. 69 E. 11 " "

79.62 Section corner, Nov, 18, 1834

North Between Sections 11 & 12

3.00 Leave marsh & Enter Sand Ridge

35.00 Leave Sand Ridge & Enter low barrens interspersed  
with long marshes,

40.00 Set Dr. Sec. post from which

6/100 @ Y. oak 10 in. dia, bear S. 10 E. 125 lks. dist.  
 No other near,  
 67.95 To @ Y. oak 12 in. dia,  
 80.00 Set post cor. to Sec. 1, 2, 11 & 12 from which  
 @ Y. oak 8 in. dia, bear S. 79 E. 50 lks. dist.  
 & @ " Do 8 " " " S. 58 W. 83 " "  
 Pro Barrens & Long Marshes Intwining at every  
 5 or 10 chains, the ground between Resembling  
 A Turnpike

---

East on Random between Sec. 1 & 12  
 74.80 Intersect E. boundary 44 lks South of post, land  
 similar to North line

---

West Corner et line between Sec. 1 & 12  
 39.90 Set Dr. Sec. post from which  
 @ Y. oak 6 in. dia, bear S. 41 E. 25 lks. dist.  
 & @ " Do 14 " " " N. 32 E. 38 " "  
 79.80 Section Corner,

---

North Between Sections 1 & 2  
 40.00 Set Dr. Sec. post from which  
 @ Y. oak 8 in. dia, bear S. 5 1/2 E. 38 lks. dist.  
 No other near  
 74.50 Intersect Right Bank of Gallunick River,  
 land & marshes same as previous line, when  
 Set meander post cor. to Sec. 1 Fractional of  
 1 & 12 from which  
 @ Y. oak 6 in. dia, cor. & meander post

---

North Between Sections 34 & 35  
 40.00 Set Dr. Sec. post from which  
 @ Y. oak 14 in. dia, bear S. 4 W. 250 lks. dist.  
 No other near,  
 50.00 Set post cor. to Sec. 26, 27, 34 & 35 in mark  
 Water 2 feet deep, whole line promiscuously

Y 36—N. R. 9 W. 2<sup>nd</sup> Mer. Indiana,

6.10 Interspersed with Ridges of barrens & marshes  
poor Sand Soil,

East on Random between Sec. 26 & 35

80.20 Intersect N. & South line 5 lrs. South of post,  
this line in marsh or Lake,

West Corner of line between Sec. 26 & 35

40.10 Set Dr. Sec. post in marsh water no mound

80.20 Section corner,

North Between Sections 26 & 27

40.00 Set Dr. Sec. post in marsh, Water 2 feet deep

67.00 Leave marsh & Enter Oak Ridge

81.00 Set post cor. to Sec. 22<sup>23</sup>, 26 & 27 from which  
to W. Oak 16 in. dia. bears S. 41 $\frac{1}{2}$  W. 43 lrs. dist.  
to " Do 12 " " " N. 49 E. 48 " "  
Poor Sand Soil, an Indiana Trail of old  
date has its course from E. to W. upon the  
above named Oak Ridge, but has ceased to be  
traveled & is therefore not noted,

East on Random between Sec. 23 & 26

80.18 Intersect N. & South line 33 lrs. South of post  
Not low & Generally barrens

West Corner of line between Sec. 23 & 26

40.09 Set Dr. Sec. post from which

to W. Oak 8 in. dia. bears S. 23 W. 96 lrs. dist.  
No other near,

18.10 Section corner, January 13<sup>th</sup> 1835

North Between Sections 22 & 23

16.29 To W. Oak 14 in. dia,

23.00 Enter Calumie marsh

40.00 Set Dr. Sec. post in marsh water, no mound,

G. 36 N. - R. 9 W. 2000 Mer. Indian 71

80.00 Set post ba. to Secs 14, 15, 22 & 23 when raise  
Meander post on left Bank of Calumie River  $\frac{1}{4}$   
Poor barrens, N.  $\frac{3}{4}$  Calumie Marsh,

---

East on Random between Secs 14 & 23

80.16 Intersect N. & S. line at post from corner 56 chains  
of this line in River & Lake of River

---

West Blaze line back between Secs 14 & 23

24.16 Set meander post on Calumie Lake on Right  
Margin thereof,

80.16 Section Corner,

---

North Between Sections 14 & 15

50 To Main Channel of Calumie River

2.50 Over " Do Do

6.00 Set Meander post on Right Bank "

20.00 Leave Marsh & Enter barrens,

40.00 Set Dr. Sec. post from which

@ W. Oak 20 in. dia, bears S. 14 W. 9 Mo. dist,

@ " Do 12 " " " N. 24 E. 24 " "

80.00 Set post cor. to Secs 10, 11, 14 & 15 from which

@ W. Oak 14 in. dia, bears S. 27 E. 15 Mo. dist,

& @ " Do 12 " " " N. 36 W. 82 " "

Poor wet barrens interspersed with marshes,

---

East on Random between Secs 11 & 14

80.19 Intersect N. & South line 2 1/2 Mo. South of post,  
this line barrens & marsh, similar to the one East of,

---

West Corner of line between Secs 11 & 14

40.09 1/2 Set Dr. Sec. post from which

@ Y. Oak 8 in. dia, bears S. 67 E. 19 Mo. dist,

& @ W. Oak 14 " " " N. 67 1/2 W. 69 " "

80.19 Section Corner,

5  
2a



G. 36 & 1, P. 4 W. 2<sup>nd</sup> Sec. Indiana

North Between Sections 10 & 11

40.00 Set Dr. Sec. post from which

@ G. Oak 8 in. dia. bears N. 21 W. 49 lks. dist.

No other,

80.00 Set post cor. to Sec. 2, 3, 10 & 11 from which

@ G. Oak 5 in. dia. bears S. 31 W. 13 lks. dist.

& @ " Do 10 " " " N. 51 E. 17 " "

G. Oak Barrens, Dwarfish Timber long marshes,  
or Lakes Intervening at every 5 or 10 Chains  
uniformly running from E. to W. in some  
instances the margins are lined with black  
Alder bushes

East on Random between Sec. 2 & 11

80.19 Intersect N. & South line 15 lks. South of post  
line similar to last North line

West Corner of line between Sec. 2 & 11

40.09 $\frac{1}{2}$  Set Dr. Sec. post from which

@ G. Oak 6 in. dia. bears N. 24 E. 57 lks. dist.

No other near,

80.19 Section corner,

North Between Sections 2 & 3

18.35 To @ W. Oak 6 in. dia.

40.00 Set Dr. Sec. post from which

@ Red Oak 8 in. dia. bears S. 35 E. 10 lks. dist.

& @ Do Do " S. 45 W. 5 " "

79.87 Intersect North Boundary 13 lks. West of post  
thence Set post cor. to Sec. 2 & 3 from which

@ G. Oak 12 in. dia. bears S. 26 E. 64 lks. dist.

& @ " Oak 12 " " " S. 35 W. 33 " "

line similar to last North line

January 14, 1855,

North Between Sections 33 & 34 post on line in marsh

- 30.00 Leave Board, Pass upon Oak Ridge  
 40.00 Set Dr. Sec. post from which  
     @ G. Oak 4 in. dia. bears S. 35 E. 33 lks. dist.  
     @ " Do 14 " " " S. 14 W. 25 " "  
 60.00 Leave Oak Ridge and Enter Mausha Lake  
 80.00 Set post cor. to Sec. 27, 28, 33 & 34 in water 20  
     in. deep, this and other places in this marsh  
     Resemble Small Lakes,

- East on Random between Sec. 27 & 34  
 80.08 Intersect N. & S. line 15 lks North of post, this  
     line all in marsh under water from 1 to  
     3 feet deep,

- West Corner et line between Sec. 27 & 34  
 40.04 Set Dr. Sec. post in marsh, water 2 ft deep,  
 80.08 Section corner,

- North Between Sections 27 & 28  
 40.00 Set Dr. Sec. post in water 3 feet deep  
 80.00 Set post cor. to Sec. 21, 22, 27 & 28 in north  
     Edge of Lake or Marsh from which  
     @ G. Oak 10 in. dia. bears S. 61 E. 12 1/2 lks. dist.  
     @ " Do 14 " " " N. 21 W. 135 " "  
     Line in marsh water from 1 to 8 ft deep

- East Random between Sec. 22 & 27  
 1.00 To Base of Oak Ridge  
 80.06 Intersect E. Boundary 6 lks South of post  
     Poor Sandy Oak Ridge

- West Corner et line between Sec. 22 & 27  
 40.03 Set Dr. Sec. post from which  
     @ G. Oak 12 in. dia. bears S. 40 E. 53 lks. dist.  
     @ " Do 10 " " " N. 24 1/2 W. 35 " "  
 80.06 Section corner,

# Y. 36 N. R. 9 W. 2nd Mer. Indiana

North Between Sections 21 & 22

- 1.00 To Base of Oak Ridge  
 15.00 Enter Calumie Marsh  
 40.00 Set Dr. Sec. post in water no mound nor bearing  
 80.00 Set post cor. to Secs 15, 16, 21 & 22 in marsh water  
 base of River, no mound nor bearings
- 

East on Random between Sections 15 & 22

- 40.00 To left Bank of Calumie River where Set 9th Sec &  
 Meander post & on Margin of River, the balance  
 of the line in River & Lake of River
- 

North Between Sections 15 & 16

- 9.00 To left Bank of River where Set Meander post no  
 mound nor bearings  
 15.20 Over River. where Set Meander post no mound  
 nor bearings, on Right of River, which is here  
 250 lks wide. Some current Cor. west,  
 40.00 Set Dr. Sec. post in water of Marsh, no mound  
 80.00 Set post cor. to Secs 9, 10, 15 & 16 in water of the  
 River Marsh. mound nor bearings,
- 

East on Random between Secs 10 & 15

- 80.04 Intersect N. & S. line 6 lks North of post, W. 1/2  
 wet marsh E. 1/2 low wet baring,
- 

West Corner line between Secs 10 & 15

- 40.02 Set Dr. Sec. post in Marsh water, no mound nor bearing  
 80.04 Section corner,
- 

North Between Sections 9 & 10

- 35.00 Leave Calumie Marsh  
 40.00 Set Dr. Sec. post from which  
     @ Y. Oak 8 w. dia. bears S. 69 W. 55 lks. dist.  
     @ N. Oak 16 " " " N. 54 E. 22 " "  
 60.88 To @ " Do 10 " "

80.00 Set post cor. to Secs. 3, 4, 9 & 10 from which  
 @ W. Birch 4 in. dia. bears S. 25 E. 24 Mo. dist.  
 & @ " Do 4 " " " S. 1/2 W. 20 " "  
 Barrens & Marshes of the long Lake kind

East On Random between Secs. 3 & 10  
 80.02 Intersect North & South line 1 Mo North of post, this  
 line has its course in one of the long Marshes that  
 abound here

West Correct line between Secs. 3 & 10  
 40.01 Set Dr. Sec. in Marsh Water, no mound or bearings  
 80.02 Section Corner,

North Between Sections 3 & 4  
 29.32 To W. Oak 18 in. dia.  
 40.00 Set Dr. Sec. post from which  
 @ Oak 10 in. dia. bears S. 15 E. 25 Mo. dist.  
 & @ W. " " S. 79 1/2 W. 20 " "  
 79.14 Intersect North Boundary 10 Mo West of post  
 From Wet Grubby barrens, W & Y. Oak of a divergish  
 growth, Interspersed with long narrow Marshes  
 Running E. & W. from which  
 @ Y. Oak 12 in. dia. bears S. 45 E. 33 Mo. dist.  
 & @ " Do 12 " " " S. 20 E. 31 " "

North Between Sections 32 & 33  
 40.00 Set Dr. Sec. post in Water 2 ft Deep, no mound  
 80.00 Set post cor. to Secs. 28, 29, 32 & 33 in Marsh  
 no mound. Water deep, line all in Marsh  
 Mostly under Water 2 feet deep

East On Random between Secs. 28 & 33  
 80.18 Intersect North & South line 15 Mo South of post  
 Whole line in Marsh Interspersed with ponds or  
 Lakes Water from 2 to 4 feet Deep,

G. 36 N. B. 9 W. 2nd Mer. Indiana

West Correct line between Secs. 28 & 29

40.09 Set Dr. Sec. post in pond on Lake, no mound  
80.18 Section corner,

North Between Sections 28 & 29

40.00 Set Dr. Sec. post in water, no mound nor bearings  
80.00 Set post cor. to Secs. 20, 21, 28 & 29 in water  
on North Side, this line mostly in clear Lake

East Random between Secs. 21 & 28

80.15 Intersect N. & S. line 10 chs N. of post, whole  
line marsh mostly under water some clear  
lakes or ponds

West Correct line between Secs. 21 & 28

40.07 1/2 Set Dr. Sec. post in water of marsh, no mound  
80.15 Section corner,

North Between Sections 20 & 21

15.00 Clear marsh at base of oak Ridge

17.50 To a Y. oak 12 in. dia

27.50 " a Y. oak 14 " "

35.00 Clear oak Ridge & Enticelume marsh

40.00 Set Dr. Sec. post in marsh from which  
a Y. oak 5 in. dia, bears S. 1/2 W. 80 chs. dist,  
no other near,

80.00 Set post cor. to Secs. 16, 17, 20 & 21 in marsh  
no mound nor bearings ground hard frozen

East on Random between Secs. 16 & 21

80.12 Intersect N. & S. line 15 chs N. of post, this line in  
low wet marsh of Calumet mostly under water

West Correct line between 16 & 21

40.06 Set Dr. Sec. post in marsh water

80.12 Section corner,



North Between Sections 16 & 17

11.00 To left Bank of Calumie River, where Set meander post no mound no bearings

16.00 Over River, where Set meander post on Right bank, no mound no bearings the River here is 3 chains wide banks higher than above & dry, but the marsh back from banks low & wet,

40.00 Set Dr. Sec. post in marsh water, no mound

80.00 Set post cor. to Secs 8, 9, 16 & 17 in marsh water

East on Random between Secs 9 & 16

56.13 Intersect N. & S. line at post, Met marsh mostly under water,

West Corner of line between Secs 9 & 16

40.06 Set Dr. Sec. post in water, no mound no bearings

80.13 Section corner, Jan'y 16, 1835

North Between Sections 8 & 9

24.47 To a Y. Oak 14 in. dia,

36.00 Leave marsh & Enter barrens,

40.00 Set Dr. Sec. post from which

@ Y. Oak 8 in. dia bears S.  $1\frac{1}{2}$  N. 76 Mo. dist.

& @ " Do 8 " " " N.  $33\frac{1}{2}$  E. 60 " "

80.00 Set post cor. to Secs 4, 5, 8 & 9 in water from wh,

@ Y. Oak 10 in. dia, bears S. 78 E. 150 Mo. dist.

& @ " Do 14 " " " S. 33 N. 160 " "

Pror Saw barrens interspersed with marshes,

East on Random between Secs 4 & 9

80.08 Intersect N. & S. line 8 Mo. S. of post, this line is in & on the margin of one of those long marshes A. the growth of Alder, Scrubby Oak, briars &c,

West Corner of line between Secs 4 & 9

78 T. 36 N. - R. 9 W. 22<sup>nd</sup> E. Mer. Indiana,

40.04 Set Dr. Sec. post in Marsh on Lake  
80.08 Section corner,

---

North Between Sections 4 & 5

40.00 Set Dr. Sec. post from which

to W. oak 12 in. dia. bears S. 26 $\frac{1}{2}$  E. 63 lks. dist,

& to " Do 12 " " " S. 45 W. 68 " "

78.72 Intersect N. Boundary 30 lks West of post, where  
Set post cor. to Secs 4 & 5 in N. Side of Marsh  
no mound nor bearings, bearings & marked  
Similar to last line,

---

North Between Sections 31 & 32 post on line in marsh

12.00 Small Island of W. oak timber

20.00 Land timber & enter marsh

40.00 Set Dr. Sec. post in Marsh water, no mound

80.00 Set post cor. to Secs 29, 30, 31 & 32 in Lake or  
Pond of Marsh,

---

East on Random between Secs 29 & 32

79.25 Intersect N. & S. line 5 lks S. of post, where line  
in pond Lake & Marshes

---

West Corner line between Secs 29 & 32

39.6 $\frac{1}{2}$  Set Dr. Sec. post in Marsh water, no mound

79.25 Section corner,

---

North Between Sections 29 & 30

40.00 Set Dr. Sec. post in Marsh water, no mound

80.00 Set post cor. to Secs 19, 20, 29 & 30 in Clear  
Lake or pond water deep,

---

East on Random between Secs 20 & 29

79.21 Intersect N. & S. line in Lake 15 lks N. of post  
Marsh ponds & Lakes,

---

G. 36 N. — P. 9 W. 2nd Mo. Indiana, 79

West Correct line between Secs 20 & 29  
 39.65 Set Dr. Sec. post in pond no mound nor bearing  
 49.21 Section Corner,

North Between Sections 19 & 20  
 15.00 Leave Lake & Rise on Oak Ridge  
 24.00 To a Y. oak 14 in. dia,  
 35.00 Leave Ridge  
 40.00 Set Dr. Sec. post from which  
     @ W. oak 12 in. dia bears N.  $2\frac{1}{2}$  — 160 lds. dist.  
     No other,  
 49.46 To a Br. oak 16 in. dia,  
 50.00 Leave bearing & Enter Calumie Marsh  
 77.00 To left Bank of River No when Set meander post  
     no mound no bearing,  
 79.50 Over River. Channel 2 chs wide  
 80.00 Set post cor. to Secs 17, 18, 19 & 20 & meander post,

East on Random between Secs 17 & 20  
 79.18 Intersect N. & S. line 13 lds. S. of post. line in River  
     and marsh of River,

West Correct line between Secs 17 & 20  
 28.00 Intersect Marsh or Lake of River, Where Set meander  
     post on left margin of Lake or River  
 79.18 Section Corner,

North Between Sections 17 & 18  
 40.00 Set Dr. Sec. post in marsh p. a. in pond which  
     @ Y. oak 12 in. dia bears N.  $\frac{1}{2}$  W. 20.50 lds. dist.  
 80.00 Set post cor. to Secs 7, 8, 17 & 18 on N. side of  
     Calumie Marsh from which  
     @ Y. oak 14 in. dia. bears S. 76 E. 87 lds. dist.  
     + @ " Do " " " " N. 24 W. 172 " "  
     the banks of the River S. on this line are higher  
     than above, the marsh along the margin of the

P. 36 N. - P. 9 Y. 200 Mer. Indian a,

Esks. River appearing like low wet prairie, back  
near the timber the marsh is wet & under water

East Random between Secs 8 & 17

79.19 Intersect N. & S. line 11 hrs S. of post wet low marsh  
mostly under

West Correct line between Secs 8 & 17

39.69 1/2 Set Dr. Sec. post from which

@ Y. Oak 10 in. dia. bears N. 50 W. 4.24 hrs dist.

79.19 Section corner,

North Between Sections 7 & 8

28.00 To a Y. Oak 12 in. dia,

40.00 Set Dr. Sec. post from which

@ Y. Oak 14 in. dia. bears N. 6 W. 41 hrs. dist.

& @ " Do 14 " " " S. 83 1/2 W. 56 " "

80.00 Set post cor. to Secs 5, 6, 7 & 8 from which

@ W. Oak 16 in. dia. bears N. 37 1/2 E. 195 hrs. dist.

& @ Y. Oak 12 " " " S. 4 1/2 W. 175 " "

S. 1/2 wet W. Oak barrens, N. 1/2 poor sand  
ridge. Interspersed with long marshes & Lakes

East on Random between Secs 5 & 8

79.24 Intersect N. & S. line 5 hrs S. of post, whole  
line in long marshes, willow & alder thickets

West Correct line between Secs 5 & 8

39.62 Set Dr. Sec. post in long marsh

79.24 Section corner,

North Between Sections 5 & 6

40.00 Set Dr. Sec. post in long Lake from which

@ Y. Oak 12 in. dia. bears N. 6 W. 100 hrs dist.

& @ " Do 12 " " " N. 17 E. 110 " "

79.08 Intersect N. Boundary 16 hrs West of post,

West where set post cor. to Sec. 5 & 6 from which  
 @ N. 0<sup>th</sup> 8 in. dia. bear. S. 12 W. 66 lbs. dis.  
 & @ N. 0<sup>th</sup> 8 " " " S. 13 E. 85 " "  
 Long Lakes, Marshes & barrens of the porous kind,

---

West on Random between Sec. 30 & 31 cor. in pond  
 77.25 Intersect W. Boundary at place of cor. the whole  
 line, Marsh ponds & small Lakes, water deep in  
 many places,

---

East Corner line between Sec. 30 & 31  
 37.25 Set Dr. Sec. post, no mound no bearing  
 77.25 Section corner,

---

West on Random between Sec. 19 & 30  
 76.89 Intersect W. Boundary at place of corner, this  
 line similar to last W. line,

---

East Corner line between Sec. 19 & 30  
 36.89 Set Dr. Sec. post in Marsh water deep  
 76.89 Section corner,

---

West on Random between Sec. 18 & 19  
 3.00 To Main channel of River.  
 5.25 over River, where set meander post on left  
 Bank of River  
 76.25 Intersect W. Boundary 75 lbs N. of post

---

East Corner line between Sec. 18 & 19  
 36.25 Set Dr. Sec. post in Marsh no mound no bear.  
 71.00 Set meander post on left Bank of River no mound  
 76.25 Section corner,  
 the Marshes on this line more dry than is  
 common to the Calumie innumerable  
 pipe-stem mounds,



*T. 36 N. R. 9 W. 2<sup>nd</sup> Mer. Indiana*

West on Random between Secs 7 & 18  
 76.61 Intersect N. Boundary 25 lbs South of post, wet low  
 prairie 3<sup>rd</sup> rate

East Corner line between Sections 7 & 18  
 36.61 Set Dr. Sec. post no mound no bearings granite very  
 hard frozen  
 76.61 Section corner,

West on Random between Secs 6 & 7  
 76.30 Intersect N. Boundary 30 lbs North of post, from which,  
 @ G. oak 12 in, dia, bears N. 21 E. 65 lbs, dist.  
 7 @ " Do 12 " " " S. 48 E. 85 " " "  
 For G. oak barrens, interspersed with marshes

East Corner line between Secs 6 & 7  
 36.30 Set gr. Sec. post from which  
 @ G. oak 14 in, dia, bears N. 60 W. 40 lbs, dist.  
 8 @ " Do 10 " " " S. 7 W. 16 " "  
 76.30 Section corner, January 17, 1885

*Meanders of Calumie River on the Right Bank,  
 beginning at meander post on N. Boundary then e up  
 The Stream*

S. 86 E.	12.10	In Sec. 18
S. 60 E.	20.00	
N. 51 E.	8.00	
N. 47 E.	10.00	
N. 67 E.	27.00	
S. 25 E.	10.00	
S. 31 E.	4.77	To meander post & on. to Secs 17, 18, 19 & 20

S. 60 W.	7.12	In Sec. 17
S. 85 W.	14.00	
S. 79 W.	60.00	

Course	E. Mo.	Meanders Continued
		from Meander post on line between Sec. 16 & 17
N. 71 E.	14.00	In Sec. 16
N. 83 E.	22.00	
N. 86 E.	15.00	
N. 16 E.	13.00	
N. 49 E.	13.00	
S. 68 E.	5.00	
S. 5 E.	7.50	
S. 25 W.	8.00	
S. 36 E.	13.50	To Meander post on line between Sec. 15 & 16
		from Meander post on line between Sec. 15 & 16
N. 86 E.	7.00	In Sec. 15
N. 40 E.	12.00	
East	25.00	
S. 74 E.	42.26	To post on line between Sec. 14 & 15
		from Meander post on line between Sec. 14 & 15
S. 83 E.	20.00	In Sec. 14
N. 84 E.	18.00	
S. 67 E.	10.00	
S. 78 E.	9.00	To post on E. & W. line between Sec. 14 & 23
		from post on line between Sec. 14 & 23
S. 60 E.	9.00	In Sec. 23
S. 67 E.	17.53	To Meander post on line between Sec. 23 & 24
		from Meander post on line between Sec. 23 & 24
S. 64 E.	27.00	In Sec. 24
S. 82 E.	45.00	
S. 89 E.	16.77	To Meander post on E. Boundary
		January 18, 1835
		Meanders of Calumet River on left Bank
		along margin of Lake of River, beginning at

## T. 362 N. R. 9 W. 2nd Mer. Indiano

Course	6, 200,	Meander post on E. Boundary then around stream,
N. 70 W.	40.00	In Sec. 24
N. 54 W.	25.00	
N. 59 W.	7.00	
N. 34 W.	10.00	
N. 51 W.	12.97	To Meander post on line between Sec. 23 & 24
N. 82 W.	12.00	In Sec 23 left Bank down stream
N. 65 W.	16.00	
S. 55 W.	3.00	
S. 46 W.	7.00	
N. 83 W.	10.00	
N. 41 W.	15.00	
S. 53 W.	8.00	To Meander post & Cor. to Sec. 14, 15, 22 & 23
N. 78 W.	17.18	
S. 82 W.	12.00	In Sec. 22
S. 66 W.	10.00	
S. 70 W.	15.00	
S. 84 W.	12.00	
N. 64 W.	5.00	
North	9.00	
N. 9 W.	2.00	
N. 1/2 E	9.24	To Meander & In Sec. post on line between Sec. 15 & 22
N. 37 W.	12.00	In Sec. 15
S. 82 W.	20.00	
S. 80 W.	7.00	
N. 58 W.	7.25	To Meander post on line between Sec. 15 & 16
S. 85 W.	13.00	In Sec. 16
N. 38 W.	8.00	
S. 82 W.	25.00	
N. 83 W.	23.00	
S. 75 W.	6.00	

N. 78 W.	8.84	To meander post on line between Sec. 16 & 17
N. 58 E.	12.30	from Meander post on line between Sec. 20 & 17
S. 80 E.	7.00	in Sec. 17 left Bank up stream
N. 64 E.	13.00	To post between Sec. 16 & 17
S. 74 W.	11.00	In Sec. 20 left Bank Down Stream
West	40.53	To meander post on line between Sec. 14 & 20
N. 75 W.	3.00	In Sec. 19
N. 45 1/2 W.	3.25	To meander post on E & W line between Sec. 18 & 19 thence
N. 51 W.	18.00	In Sec. 18
N. 62 W.	9.00	
S. 72 W.	20.00	
N. 61 W.	13.00	
N. 76 W.	13.00	
N. 66 W.	6.69	To Meander post on West Boundary January 20, 1835
S. 74 E.	13.00	boards of Grand Calumie River on Right Bank, beginning at meander post on North Boundary thence down stream
S. 83 E.	15.00	In Sec. 2
S. 89 E.	5.54	To y. Oak Cor. & meander post on line between Sec. 1 & 2 thence
N. 89 E.	38.00	In Sec. 1 left Bank Down Stream
S. 80 E.	20.00	
S. 76 E.	10.00	
N. 88 E.	12.50	To y. Oak Cor. & meander post on East Boundary
January 19 <sup>th</sup> 1835,		

T. 36 N. R. 9 W. 2<sup>nd</sup> Mer. Indiana,

This Township South  $\frac{1}{2}$  is principally Marsh & ponds. Some of which are large & Deep. The banks of the River in the Western part of the Town are much higher than they are above, more current, & the River mark higher & driven near the main Channel Hoping back towards the Sand hills. When there are numerous ponds & Lakes, the N.  $\frac{1}{2}$  is composed of poor Sand hills, a scrubby growth of Y. & Pin oak &c. Interspersed with numerous long ponds & Lakes,

---

I do hereby Certify that in pursuance of a contract made & entered into April 22<sup>nd</sup> 1834 with Mr. J. Williams, Surveyor General of the United States, for the State of Ohio Indiana & the Territory of Michigan that I have Surveyed & subdivided into Sections Township N. 36 N. of & R. 9 W. of 2<sup>nd</sup> principal Meridian Indiana in conformity with the Laws of the United States & in strict accordance to the instructions of said Surveyor General & I do further Certify that the foregoing are the true and original field notes of said Survey as aforesaid. Certified this 23<sup>rd</sup> day. Jan'y. 1835

A. Buinside, Deft. Sur,

Seth May  
 Rich<sup>d</sup> Wainwright Charmer  
 Hadley Hobson Marked

---

I Certify that the foregoing transcript of field notes of Township 36 North of Range 9 West 2<sup>nd</sup> Meridian State of Indiana has been compared with the original in this office and found to be correct

William Johnston  
 Sur Genl.

Surveyor General's Office  
 Cincinnati. Dec<sup>r</sup> 30<sup>th</sup> 1842